

Cincinnati Fire/Rescue

Incidents by Neighborhood

2003 through October

Avondale	
69	STRUCTURE FIRE
3	OUTSIDE OF STRUCTURE FIRE
12	VEHICLE FIRE
2	TREES, BRUSH, GRASS FIRE
28	REFUSE FIRE
2	FIRE, EXPLOSION - NOT CLASSIFIED
1	STEAM RUPTURE
2	AIR, GAS RUPTURE
2,198	EMERGENCY MEDICAL CALL
22	LOCK IN
20	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
4	RESCUE CALL - NOT CLASSIFIED
2	HAZARDOUS CONDITION - INSUFFICIENT INFO.
9	SPILL, LEAK WITH NO IGNITION
1	EXPLOSIVE, BOMB REMOVAL
5	POWER LINE DOWN
22	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	CHEMICAL EMERGENCY
4	NATURAL GAS LEAK/ODOR
13	HAZARDOUS CONDITION - NOT CLASSIFIED
5	LOCK-OUT
10	WATER CUTOFF / EVACUATION
7	SMOKE, ODOR REMOVAL
9	ASSIST POLICE
1	GAS CUTOFF
15	SERVICE CALL - NOT CLASSIFIED
9	GOOD INTENT CALL - INSUFFICIENT INFO.
67	SMOKE SCARE

1	WRONG LOCATION
1	VICINITY ALARM (INCL MULTIPLE BOXES FOR 1 FIRE)
1	STEAM, OTHER GAS MISTAKEN FOR SMOKE
64	GOOD INTENT CALL - NOT CLASSIFIED
13	MALICIOUS, MISCHIEVOUS FALSE CALL
206	SYSTEM MALFUNCTION
32	UNINTENTIONAL, ACCIDENTAL TRIP
1	FALSE CALL - NOT CLASSIFIED
4	CO DETECTOR MALFUNCTION
1	CO DETECTOR DID NOT ACTIVATE - CO FOUND
2,867	
Bond Hill	
17	STRUCTURE FIRE
27	VEHICLE FIRE
6	REFUSE FIRE
873	EMERGENCY MEDICAL CALL
6	LOCK IN
9	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
1	RESCUE CALL - NOT CLASSIFIED
1	HAZARDOUS CONDITION - INSUFFICIENT INFO.
5	SPILL, LEAK WITH NO IGNITION
1	EXPLOSIVE, BOMB REMOVAL
2	POWER LINE DOWN
11	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	CHEMICAL EMERGENCY
3	HAZARDOUS CONDITION - NOT CLASSIFIED
1	LOCK-OUT
1	SMOKE, ODOR REMOVAL
1	ASSIST POLICE
1	UNAUTHORIZED BURNING
5	SERVICE CALL - NOT CLASSIFIED
16	GOOD INTENT CALL - INSUFFICIENT INFO.
16	SMOKE SCARE
1	WRONG LOCATION
2	STEAM, OTHER GAS MISTAKEN FOR SMOKE

29	GOOD INTENT CALL - NOT CLASSIFIED
4	MALICIOUS, MISCHIEVOUS FALSE CALL
72	SYSTEM MALFUNCTION
6	UNINTENTIONAL, ACCIDENTAL TRIP
1	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
2	CO DETECTOR ACTIVATED - CO FOUND
5	CO DETECTOR MALFUNCTION
1,126	
California	
3	VEHICLE FIRE
2	REFUSE FIRE
68	EMERGENCY MEDICAL CALL
1	SPILL, LEAK WITH NO IGNITION
1	ARCING, SHORTED ELECTRICAL EQUIPMENT
5	SERVICE CALL - NOT CLASSIFIED
2	GOOD INTENT CALL - INSUFFICIENT INFO.
5	SMOKE SCARE
1	WRONG LOCATION
5	GOOD INTENT CALL - NOT CLASSIFIED
2	MALICIOUS, MISCHIEVOUS FALSE CALL
4	SYSTEM MALFUNCTION
99	
Camp Washington	
12	STRUCTURE FIRE
2	OUTSIDE OF STRUCTURE FIRE
19	VEHICLE FIRE
1	TREES, BRUSH, GRASS FIRE
4	REFUSE FIRE
1	STEAM RUPTURE
485	EMERGENCY MEDICAL CALL
2	LOCK IN
10	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
9	SPILL, LEAK WITH NO IGNITION
3	ARCING, SHORTED ELECTRICAL EQUIPMENT

4	CHEMICAL EMERGENCY
1	NATURAL GAS LEAK/ODOR
7	HAZARDOUS CONDITION - NOT CLASSIFIED
1	ASSIST POLICE
4	SERVICE CALL - NOT CLASSIFIED
7	GOOD INTENT CALL - INSUFFICIENT INFO.
15	SMOKE SCARE
1	CONTROLLED BURNING
18	GOOD INTENT CALL - NOT CLASSIFIED
4	MALICIOUS, MISCHIEVOUS FALSE CALL
50	SYSTEM MALFUNCTION
2	UNINTENTIONAL, ACCIDENTAL TRIP
1	CO DETECTOR MALFUNCTION
663	
Carthage	
8	STRUCTURE FIRE
1	OUTSIDE OF STRUCTURE FIRE
6	VEHICLE FIRE
1	TREES, BRUSH, GRASS FIRE
3	REFUSE FIRE
1	FIRE, EXPLOSION - NOT CLASSIFIED
1	OVERPRESSURE RUPTURE - INSUFFICIENT INFO.
326	EMERGENCY MEDICAL CALL
1	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
4	RESCUE CALL - NOT CLASSIFIED
1	SPILL, LEAK WITH NO IGNITION
1	EXPLOSIVE, BOMB REMOVAL
1	POWER LINE DOWN
7	ARCING, SHORTED ELECTRICAL EQUIPMENT
3	HAZARDOUS CONDITION - NOT CLASSIFIED
3	UNAUTHORIZED BURNING
3	SERVICE CALL - NOT CLASSIFIED
5	GOOD INTENT CALL - INSUFFICIENT INFO.
15	SMOKE SCARE
1	WRONG LOCATION

1	CONTROLLED BURNING
1	STEAM, OTHER GAS MISTAKEN FOR SMOKE
14	GOOD INTENT CALL - NOT CLASSIFIED
1	FALSE CALL - INSUFFICIENT INFO.
3	MALICIOUS, MISCHIEVOUS FALSE CALL
30	SYSTEM MALFUNCTION
1	UNINTENTIONAL, ACCIDENTAL TRIP
1	CO DETECTOR ACTIVATED - CO FOUND
444	
CBD / Riverfront	
21	STRUCTURE FIRE
2	OUTSIDE OF STRUCTURE FIRE
13	VEHICLE FIRE
2	TREES, BRUSH, GRASS FIRE
29	REFUSE FIRE
1	STEAM RUPTURE
1	RESCUE CALL - INSUFFICIENT INFO.
1	INHALATOR CALL
2,287	EMERGENCY MEDICAL CALL
8	LOCK IN
48	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
8	RESCUE CALL - NOT CLASSIFIED
3	HAZARDOUS CONDITION - INSUFFICIENT INFO.
13	SPILL, LEAK WITH NO IGNITION
16	EXPLOSIVE, BOMB REMOVAL
10	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	NATURAL GAS LEAK/ODOR
10	HAZARDOUS CONDITION - NOT CLASSIFIED
1	SERVICE CALL - INSUFFICIENT INFO.
2	LOCK-OUT
16	WATER CUTOFF / EVACUATION
1	SMOKE, ODOR REMOVAL
4	ASSIST POLICE
1	UNAUTHORIZED BURNING
22	SERVICE CALL - NOT CLASSIFIED

21	GOOD INTENT CALL - INSUFFICIENT INFO.
67	SMOKE SCARE
9	STEAM, OTHER GAS MISTAKEN FOR SMOKE
55	GOOD INTENT CALL - NOT CLASSIFIED
1	FALSE CALL - INSUFFICIENT INFO.
15	MALICIOUS, MISCHIEVOUS FALSE CALL
416	SYSTEM MALFUNCTION
50	UNINTENTIONAL, ACCIDENTAL TRIP
2	FALSE CALL - NOT CLASSIFIED
3,157	
Clifton	
20	STRUCTURE FIRE
12	VEHICLE FIRE
9	REFUSE FIRE
1	OVERPRESSURE RUPTURE - INSUFFICIENT INFO.
2	AIR, GAS RUPTURE
848	EMERGENCY MEDICAL CALL
10	LOCK IN
3	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
1	HAZARDOUS CONDITION - INSUFFICIENT INFO.
3	SPILL, LEAK WITH NO IGNITION
1	EXPLOSIVE, BOMB REMOVAL
2	EXCESSIVE HEAT
1	POWER LINE DOWN
23	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	CHEMICAL EMERGENCY
9	HAZARDOUS CONDITION - NOT CLASSIFIED
4	WATER CUTOFF / EVACUATION
2	ASSIST POLICE
10	SERVICE CALL - NOT CLASSIFIED
9	GOOD INTENT CALL - INSUFFICIENT INFO.
23	SMOKE SCARE
1	WRONG LOCATION
4	STEAM, OTHER GAS MISTAKEN FOR SMOKE
28	GOOD INTENT CALL - NOT CLASSIFIED

5	MALICIOUS, MISCHIEVOUS FALSE CALL
113	SYSTEM MALFUNCTION
13	UNINTENTIONAL, ACCIDENTAL TRIP
1,158	
College Hill	
22	STRUCTURE FIRE
2	OUTSIDE OF STRUCTURE FIRE
15	VEHICLE FIRE
3	TREES, BRUSH, GRASS FIRE
15	REFUSE FIRE
1	OUTSIDE SPILL, LEAKING WITH ENSUING FIRE
1	OVERPRESSURE RUPTURE - NOT CLASSIFIED
1,458	EMERGENCY MEDICAL CALL
16	LOCK IN
4	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
7	RESCUE CALL - NOT CLASSIFIED
2	HAZARDOUS CONDITION - INSUFFICIENT INFO.
4	SPILL, LEAK WITH NO IGNITION
1	EXPLOSIVE, BOMB REMOVAL
4	EXCESSIVE HEAT
13	POWER LINE DOWN
22	ARCING, SHORTED ELECTRICAL EQUIPMENT
2	NATURAL GAS LEAK/ODOR
16	HAZARDOUS CONDITION - NOT CLASSIFIED
1	SERVICE CALL - INSUFFICIENT INFO.
3	WATER CUTOFF / EVACUATION
3	ASSIST POLICE
4	SERVICE CALL - NOT CLASSIFIED
6	GOOD INTENT CALL - INSUFFICIENT INFO.
50	SMOKE SCARE
1	WRONG LOCATION
27	GOOD INTENT CALL - NOT CLASSIFIED
14	MALICIOUS, MISCHIEVOUS FALSE CALL
92	SYSTEM MALFUNCTION
26	UNINTENTIONAL, ACCIDENTAL TRIP

1	FALSE CALL - NOT CLASSIFIED
1	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
6	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
6	CO DETECTOR ACTIVATED - CO FOUND
3	CO DETECTOR MALFUNCTION
1,852	
Columbia / Tusculum	
5	STRUCTURE FIRE
6	VEHICLE FIRE
3	REFUSE FIRE
1	RESCUE CALL - INSUFFICIENT INFO.
213	EMERGENCY MEDICAL CALL
3	LOCK IN
3	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
1	RESCUE CALL - NOT CLASSIFIED
1	SPILL, LEAK WITH NO IGNITION
5	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	CHEMICAL EMERGENCY
1	HAZARDOUS CONDITION - NOT CLASSIFIED
2	UNAUTHORIZED BURNING
1	SERVICE CALL - NOT CLASSIFIED
3	GOOD INTENT CALL - INSUFFICIENT INFO.
2	SMOKE SCARE
7	GOOD INTENT CALL - NOT CLASSIFIED
1	MALICIOUS, MISCHIEVOUS FALSE CALL
25	SYSTEM MALFUNCTION
2	UNINTENTIONAL, ACCIDENTAL TRIP
286	
Corryville	
8	STRUCTURE FIRE
10	VEHICLE FIRE
1	TREES, BRUSH, GRASS FIRE
15	REFUSE FIRE
604	EMERGENCY MEDICAL CALL

2	LOCK IN
8	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
2	RESCUE CALL - NOT CLASSIFIED
6	SPILL, LEAK WITH NO IGNITION
1	EXPLOSIVE, BOMB REMOVAL
2	POWER LINE DOWN
8	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	NATURAL GAS LEAK/ODOR
7	HAZARDOUS CONDITION - NOT CLASSIFIED
1	SERVICE CALL - INSUFFICIENT INFO.
1	LOCK-OUT
3	WATER CUTOFF / EVACUATION
1	ASSIST POLICE
1	UNAUTHORIZED BURNING
6	SERVICE CALL - NOT CLASSIFIED
2	GOOD INTENT CALL - INSUFFICIENT INFO.
14	SMOKE SCARE
1	WRONG LOCATION
4	STEAM, OTHER GAS MISTAKEN FOR SMOKE
13	GOOD INTENT CALL - NOT CLASSIFIED
4	MALICIOUS, MISCHIEVOUS FALSE CALL
1	BOMB SCARE, NO BOMB
87	SYSTEM MALFUNCTION
14	UNINTENTIONAL, ACCIDENTAL TRIP
1	CO DETECTOR ACTIVATED - CO FOUND
829	
CUF	
32	STRUCTURE FIRE
4	OUTSIDE OF STRUCTURE FIRE
16	VEHICLE FIRE
2	TREES, BRUSH, GRASS FIRE
21	REFUSE FIRE
1	AIR, GAS RUPTURE
1,057	EMERGENCY MEDICAL CALL
11	LOCK IN

3	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
5	RESCUE CALL - NOT CLASSIFIED
2	HAZARDOUS CONDITION - INSUFFICIENT INFO.
5	SPILL, LEAK WITH NO IGNITION
3	POWER LINE DOWN
12	ARCING, SHORTED ELECTRICAL EQUIPMENT
2	NATURAL GAS LEAK/ODOR
8	HAZARDOUS CONDITION - NOT CLASSIFIED
3	LOCK-OUT
5	WATER CUTOFF / EVACUATION
1	SMOKE, ODOR REMOVAL
4	ASSIST POLICE
1	UNAUTHORIZED BURNING
3	SERVICE CALL - NOT CLASSIFIED
13	GOOD INTENT CALL - INSUFFICIENT INFO.
26	SMOKE SCARE
3	STEAM, OTHER GAS MISTAKEN FOR SMOKE
29	GOOD INTENT CALL - NOT CLASSIFIED
7	MALICIOUS, MISCHIEVOUS FALSE CALL
118	SYSTEM MALFUNCTION
8	UNINTENTIONAL, ACCIDENTAL TRIP
1	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
1	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
3	CO DETECTOR MALFUNCTION
1,410	
East End	
2	STRUCTURE FIRE
7	VEHICLE FIRE
1	TREES, BRUSH, GRASS FIRE
2	REFUSE FIRE
214	EMERGENCY MEDICAL CALL
3	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
3	RESCUE CALL - NOT CLASSIFIED
2	SPILL, LEAK WITH NO IGNITION
2	POWER LINE DOWN

5	ARCING, SHORTED ELECTRICAL EQUIPMENT
9	AIRCRAFT STANDBY
2	CHEMICAL EMERGENCY
2	HAZARDOUS CONDITION - NOT CLASSIFIED
2	SMOKE, ODOR REMOVAL
2	UNAUTHORIZED BURNING
9	SERVICE CALL - NOT CLASSIFIED
6	SMOKE SCARE
1	CONTROLLED BURNING
2	STEAM, OTHER GAS MISTAKEN FOR SMOKE
9	GOOD INTENT CALL - NOT CLASSIFIED
1	FALSE CALL - INSUFFICIENT INFO.
1	MALICIOUS, MISCHIEVOUS FALSE CALL
16	SYSTEM MALFUNCTION
2	UNINTENTIONAL, ACCIDENTAL TRIP
1	FALSE CALL - NOT CLASSIFIED
1	CO DETECTOR MALFUNCTION
307	

East Price Hill	
1	FIRE, EXPLOSION - INSUFFICIENT INFO.
46	STRUCTURE FIRE
2	OUTSIDE OF STRUCTURE FIRE
19	VEHICLE FIRE
19	REFUSE FIRE
1,965	EMERGENCY MEDICAL CALL
5	LOCK IN
7	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
3	RESCUE CALL - NOT CLASSIFIED
2	HAZARDOUS CONDITION - INSUFFICIENT INFO.
7	SPILL, LEAK WITH NO IGNITION
1	EXCESSIVE HEAT
10	POWER LINE DOWN
26	ARCING, SHORTED ELECTRICAL EQUIPMENT
3	NATURAL GAS LEAK/ODOR
22	HAZARDOUS CONDITION - NOT CLASSIFIED

4	WATER CUTOFF / EVACUATION
3	SMOKE, ODOR REMOVAL
1	ANIMAL RESCUE
7	ASSIST POLICE
2	UNAUTHORIZED BURNING
14	SERVICE CALL - NOT CLASSIFIED
8	GOOD INTENT CALL - INSUFFICIENT INFO.
26	SMOKE SCARE
2	WRONG LOCATION
2	CONTROLLED BURNING
1	STEAM, OTHER GAS MISTAKEN FOR SMOKE
49	GOOD INTENT CALL - NOT CLASSIFIED
14	MALICIOUS, MISCHIEVOUS FALSE CALL
55	SYSTEM MALFUNCTION
12	UNINTENTIONAL, ACCIDENTAL TRIP
1	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
1	NO CO DETECTOR PRESENT - CO ABOVE ACTION LEVEL
2	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
2	CO DETECTOR MALFUNCTION
2,344	

East Walnut Hills	
11	STRUCTURE FIRE
1	OUTSIDE OF STRUCTURE FIRE
2	VEHICLE FIRE
3	REFUSE FIRE
422	EMERGENCY MEDICAL CALL
3	LOCK IN
6	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
1	HAZARDOUS CONDITION - INSUFFICIENT INFO.
6	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	CHEMICAL EMERGENCY
1	NATURAL GAS LEAK/ODOR
3	HAZARDOUS CONDITION - NOT CLASSIFIED
2	WATER CUTOFF / EVACUATION
1	SMOKE, ODOR REMOVAL

1	UNAUTHORIZED BURNING
4	SERVICE CALL - NOT CLASSIFIED
5	GOOD INTENT CALL - INSUFFICIENT INFO.
29	SMOKE SCARE
3	GOOD INTENT CALL - NOT CLASSIFIED
1	MALICIOUS, MISCHIEVOUS FALSE CALL
44	SYSTEM MALFUNCTION
8	UNINTENTIONAL, ACCIDENTAL TRIP
1	CO DETECTOR MALFUNCTION
559	
East Westwood	
10	STRUCTURE FIRE
6	VEHICLE FIRE
2	REFUSE FIRE
271	EMERGENCY MEDICAL CALL
1	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
1	RESCUE CALL - NOT CLASSIFIED
1	SPILL, LEAK WITH NO IGNITION
6	ARCING, SHORTED ELECTRICAL EQUIPMENT
4	HAZARDOUS CONDITION - NOT CLASSIFIED
1	UNAUTHORIZED BURNING
1	GOOD INTENT CALL - INSUFFICIENT INFO.
5	SMOKE SCARE
1	STEAM, OTHER GAS MISTAKEN FOR SMOKE
8	GOOD INTENT CALL - NOT CLASSIFIED
2	MALICIOUS, MISCHIEVOUS FALSE CALL
11	SYSTEM MALFUNCTION
3	UNINTENTIONAL, ACCIDENTAL TRIP
2	CO DETECTOR MALFUNCTION
336	
English Woods	
15	STRUCTURE FIRE
2	OUTSIDE OF STRUCTURE FIRE
10	VEHICLE FIRE

3	REFUSE FIRE
472	EMERGENCY MEDICAL CALL
4	LOCK IN
1	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
1	RESCUE CALL - NOT CLASSIFIED
1	POWER LINE DOWN
2	ARCING, SHORTED ELECTRICAL EQUIPMENT
2	NATURAL GAS LEAK/ODOR
3	HAZARDOUS CONDITION - NOT CLASSIFIED
2	WATER CUTOFF / EVACUATION
3	ASSIST POLICE
4	SERVICE CALL - NOT CLASSIFIED
1	GOOD INTENT CALL - INSUFFICIENT INFO.
10	SMOKE SCARE
1	CONTROLLED BURNING
6	GOOD INTENT CALL - NOT CLASSIFIED
2	MALICIOUS, MISCHIEVOUS FALSE CALL
14	SYSTEM MALFUNCTION
559	
Evanston	
32	STRUCTURE FIRE
2	OUTSIDE OF STRUCTURE FIRE
15	VEHICLE FIRE
8	REFUSE FIRE
1	EXPLOSION, NO AFTER-FIRE
1,072	EMERGENCY MEDICAL CALL
4	LOCK IN
4	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
4	RESCUE CALL - NOT CLASSIFIED
1	HAZARDOUS CONDITION - INSUFFICIENT INFO.
5	SPILL, LEAK WITH NO IGNITION
1	EXPLOSIVE, BOMB REMOVAL
3	POWER LINE DOWN
10	ARCING, SHORTED ELECTRICAL EQUIPMENT
7	HAZARDOUS CONDITION - NOT CLASSIFIED

5	WATER CUTOFF / EVACUATION
4	SERVICE CALL - NOT CLASSIFIED
10	GOOD INTENT CALL - INSUFFICIENT INFO.
28	SMOKE SCARE
2	WRONG LOCATION
1	STEAM, OTHER GAS MISTAKEN FOR SMOKE
30	GOOD INTENT CALL - NOT CLASSIFIED
10	MALICIOUS, MISCHIEVOUS FALSE CALL
38	SYSTEM MALFUNCTION
9	UNINTENTIONAL, ACCIDENTAL TRIP
1	NO CO DETECTOR PRESENT - CO ABOVE ACTION LEVEL
1	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
4	CO DETECTOR MALFUNCTION
1,312	

Fay Apartments	
2	STRUCTURE FIRE
2	OUTSIDE OF STRUCTURE FIRE
8	VEHICLE FIRE
3	REFUSE FIRE
486	EMERGENCY MEDICAL CALL
1	LOCK IN
3	RESCUE CALL - NOT CLASSIFIED
3	SPILL, LEAK WITH NO IGNITION
2	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	HAZARDOUS CONDITION - NOT CLASSIFIED
1	LOCK-OUT
4	WATER CUTOFF / EVACUATION
1	SMOKE, ODOR REMOVAL
19	SERVICE CALL - NOT CLASSIFIED
1	GOOD INTENT CALL - INSUFFICIENT INFO.
4	SMOKE SCARE
9	GOOD INTENT CALL - NOT CLASSIFIED
2	MALICIOUS, MISCHIEVOUS FALSE CALL
7	SYSTEM MALFUNCTION
2	UNINTENTIONAL, ACCIDENTAL TRIP

561	
Hartwell	
9	STRUCTURE FIRE
2	OUTSIDE OF STRUCTURE FIRE
4	VEHICLE FIRE
3	TREES, BRUSH, GRASS FIRE
9	REFUSE FIRE
1	STEAM RUPTURE
1	OVERPRESSURE RUPTURE - NOT CLASSIFIED
520	EMERGENCY MEDICAL CALL
4	LOCK IN
1	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
5	SPILL, LEAK WITH NO IGNITION
3	POWER LINE DOWN
12	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	CHEMICAL EMERGENCY
6	HAZARDOUS CONDITION - NOT CLASSIFIED
1	ASSIST POLICE
2	SERVICE CALL - NOT CLASSIFIED
6	GOOD INTENT CALL - INSUFFICIENT INFO.
7	SMOKE SCARE
2	CONTROLLED BURNING
1	VICINITY ALARM (INCL MULTIPLE BOXES FOR 1 FIRE)
3	STEAM, OTHER GAS MISTAKEN FOR SMOKE
15	GOOD INTENT CALL - NOT CLASSIFIED
1	FALSE CALL - INSUFFICIENT INFO.
2	MALICIOUS, MISCHIEVOUS FALSE CALL
54	SYSTEM MALFUNCTION
6	UNINTENTIONAL, ACCIDENTAL TRIP
1	CO DETECTOR ACTIVATED - CO FOUND
1	CO DETECTOR MALFUNCTION
683	
Hyde Park	
1	FIRE, EXPLOSION - INSUFFICIENT INFO.

16	STRUCTURE FIRE
1	OUTSIDE OF STRUCTURE FIRE
5	VEHICLE FIRE
6	REFUSE FIRE
542	EMERGENCY MEDICAL CALL
6	LOCK IN
1	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
2	RESCUE CALL - NOT CLASSIFIED
1	HAZARDOUS CONDITION - INSUFFICIENT INFO.
6	SPILL, LEAK WITH NO IGNITION
2	POWER LINE DOWN
14	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	NATURAL GAS LEAK/ODOR
9	HAZARDOUS CONDITION - NOT CLASSIFIED
1	SERVICE CALL - INSUFFICIENT INFO.
1	LOCK-OUT
2	WATER CUTOFF / EVACUATION
1	SMOKE, ODOR REMOVAL
2	ASSIST POLICE
1	GAS CUTOFF
5	SERVICE CALL - NOT CLASSIFIED
7	GOOD INTENT CALL - INSUFFICIENT INFO.
28	SMOKE SCARE
13	GOOD INTENT CALL - NOT CLASSIFIED
120	SYSTEM MALFUNCTION
21	UNINTENTIONAL, ACCIDENTAL TRIP
1	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
3	CO DETECTOR MALFUNCTION
819	
Kennedy Heights	
16	STRUCTURE FIRE
6	VEHICLE FIRE
5	REFUSE FIRE
532	EMERGENCY MEDICAL CALL
2	LOCK IN

1	HAZARDOUS CONDITION - INSUFFICIENT INFO.
2	SPILL, LEAK WITH NO IGNITION
4	POWER LINE DOWN
14	ARCING, SHORTED ELECTRICAL EQUIPMENT
2	HAZARDOUS CONDITION - NOT CLASSIFIED
1	SERVICE CALL - INSUFFICIENT INFO.
1	SMOKE, ODOR REMOVAL
1	ASSIST POLICE
2	SERVICE CALL - NOT CLASSIFIED
2	GOOD INTENT CALL - INSUFFICIENT INFO.
10	SMOKE SCARE
1	WRONG LOCATION
12	GOOD INTENT CALL - NOT CLASSIFIED
2	MALICIOUS, MISCHIEVOUS FALSE CALL
15	SYSTEM MALFUNCTION
3	UNINTENTIONAL, ACCIDENTAL TRIP
1	CO DETECTOR ACTIVATED - CO FOUND
5	CO DETECTOR MALFUNCTION
640	

Linwood

1	STRUCTURE FIRE
1	VEHICLE FIRE
1	REFUSE FIRE
98	EMERGENCY MEDICAL CALL
1	LOCK IN
1	HAZARDOUS CONDITION - INSUFFICIENT INFO.
1	POWER LINE DOWN
1	ARCING, SHORTED ELECTRICAL EQUIPMENT
2	CHEMICAL EMERGENCY
4	HAZARDOUS CONDITION - NOT CLASSIFIED
1	SERVICE CALL - NOT CLASSIFIED
2	SMOKE SCARE
8	GOOD INTENT CALL - NOT CLASSIFIED
21	SYSTEM MALFUNCTION
5	UNINTENTIONAL, ACCIDENTAL TRIP

1	CO DETECTOR ACTIVATED - CO FOUND
149	
Lower Price Hill	
19	STRUCTURE FIRE
2	OUTSIDE OF STRUCTURE FIRE
7	VEHICLE FIRE
5	REFUSE FIRE
1	STEAM RUPTURE
1	RESCUE CALL - INSUFFICIENT INFO.
472	EMERGENCY MEDICAL CALL
4	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
2	RESCUE CALL - NOT CLASSIFIED
2	HAZARDOUS CONDITION - INSUFFICIENT INFO.
4	SPILL, LEAK WITH NO IGNITION
1	EXPLOSIVE, BOMB REMOVAL
4	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	CHEMICAL EMERGENCY
1	NATURAL GAS LEAK/ODOR
8	HAZARDOUS CONDITION - NOT CLASSIFIED
1	SMOKE, ODOR REMOVAL
3	ASSIST POLICE
4	SERVICE CALL - NOT CLASSIFIED
6	GOOD INTENT CALL - INSUFFICIENT INFO.
6	SMOKE SCARE
8	GOOD INTENT CALL - NOT CLASSIFIED
5	MALICIOUS, MISCHIEVOUS FALSE CALL
31	SYSTEM MALFUNCTION
3	UNINTENTIONAL, ACCIDENTAL TRIP
1	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
1	CO DETECTOR ACTIVATED - CO FOUND
603	
Madisonville	
1	FIRE, EXPLOSION - INSUFFICIENT INFO.
18	STRUCTURE FIRE

3	OUTSIDE OF STRUCTURE FIRE
17	VEHICLE FIRE
5	REFUSE FIRE
1,160	EMERGENCY MEDICAL CALL
8	LOCK IN
5	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
2	RESCUE CALL - NOT CLASSIFIED
9	SPILL, LEAK WITH NO IGNITION
1	POWER LINE DOWN
20	ARCING, SHORTED ELECTRICAL EQUIPMENT
15	HAZARDOUS CONDITION - NOT CLASSIFIED
1	SERVICE CALL - INSUFFICIENT INFO.
4	SERVICE CALL - NOT CLASSIFIED
7	GOOD INTENT CALL - INSUFFICIENT INFO.
30	SMOKE SCARE
2	STEAM, OTHER GAS MISTAKEN FOR SMOKE
21	GOOD INTENT CALL - NOT CLASSIFIED
1	FALSE CALL - INSUFFICIENT INFO.
13	MALICIOUS, MISCHIEVOUS FALSE CALL
84	SYSTEM MALFUNCTION
10	UNINTENTIONAL, ACCIDENTAL TRIP
4	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
1,441	
Millvale	
4	STRUCTURE FIRE
2	VEHICLE FIRE
8	REFUSE FIRE
349	EMERGENCY MEDICAL CALL
1	SPILL, LEAK WITH NO IGNITION
1	EXPLOSIVE, BOMB REMOVAL
1	POWER LINE DOWN
4	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	NATURAL GAS LEAK/ODOR
3	HAZARDOUS CONDITION - NOT CLASSIFIED
1	WATER CUTOFF / EVACUATION

1	ASSIST POLICE
2	SERVICE CALL - NOT CLASSIFIED
1	GOOD INTENT CALL - INSUFFICIENT INFO.
1	SMOKE SCARE
1	CONTROLLED BURNING
10	GOOD INTENT CALL - NOT CLASSIFIED
2	MALICIOUS, MISCHIEVOUS FALSE CALL
10	SYSTEM MALFUNCTION
1	UNINTENTIONAL, ACCIDENTAL TRIP
404	
Mount Adams	
3	STRUCTURE FIRE
1	OUTSIDE OF STRUCTURE FIRE
4	VEHICLE FIRE
2	REFUSE FIRE
104	EMERGENCY MEDICAL CALL
1	LOCK IN
1	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
3	SPILL, LEAK WITH NO IGNITION
1	POWER LINE DOWN
5	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	CHEMICAL EMERGENCY
7	HAZARDOUS CONDITION - NOT CLASSIFIED
2	LOCK-OUT
3	WATER CUTOFF / EVACUATION
1	UNAUTHORIZED BURNING
2	GOOD INTENT CALL - INSUFFICIENT INFO.
5	SMOKE SCARE
6	GOOD INTENT CALL - NOT CLASSIFIED
3	MALICIOUS, MISCHIEVOUS FALSE CALL
26	SYSTEM MALFUNCTION
3	UNINTENTIONAL, ACCIDENTAL TRIP
1	CO DETECTOR MALFUNCTION
185	

Mount Airy	
36	STRUCTURE FIRE
5	OUTSIDE OF STRUCTURE FIRE
12	VEHICLE FIRE
7	REFUSE FIRE
1	STEAM RUPTURE
1	RESCUE CALL - INSUFFICIENT INFO.
684	EMERGENCY MEDICAL CALL
13	LOCK IN
4	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
4	RESCUE CALL - NOT CLASSIFIED
1	HAZARDOUS CONDITION - INSUFFICIENT INFO.
1	SPILL, LEAK WITH NO IGNITION
2	POWER LINE DOWN
10	ARCING, SHORTED ELECTRICAL EQUIPMENT
6	HAZARDOUS CONDITION - NOT CLASSIFIED
2	WATER CUTOFF / EVACUATION
1	ASSIST POLICE
1	UNAUTHORIZED BURNING
7	SERVICE CALL - NOT CLASSIFIED
6	GOOD INTENT CALL - INSUFFICIENT INFO.
21	SMOKE SCARE
1	CONTROLLED BURNING
25	GOOD INTENT CALL - NOT CLASSIFIED
3	MALICIOUS, MISCHIEVOUS FALSE CALL
35	SYSTEM MALFUNCTION
4	UNINTENTIONAL, ACCIDENTAL TRIP
1	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
1	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
2	CO DETECTOR ACTIVATED - CO FOUND
4	CO DETECTOR MALFUNCTION
901	
Mount Auburn	
19	STRUCTURE FIRE

3	OUTSIDE OF STRUCTURE FIRE
7	VEHICLE FIRE
12	REFUSE FIRE
1	AIR, GAS RUPTURE
765	EMERGENCY MEDICAL CALL
8	LOCK IN
5	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
3	RESCUE CALL - NOT CLASSIFIED
1	SPILL, LEAK WITH NO IGNITION
3	POWER LINE DOWN
7	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	NATURAL GAS LEAK/ODOR
6	HAZARDOUS CONDITION - NOT CLASSIFIED
1	SERVICE CALL - INSUFFICIENT INFO.
1	LOCK-OUT
3	WATER CUTOFF / EVACUATION
1	SMOKE, ODOR REMOVAL
6	SERVICE CALL - NOT CLASSIFIED
3	GOOD INTENT CALL - INSUFFICIENT INFO.
21	SMOKE SCARE
2	STEAM, OTHER GAS MISTAKEN FOR SMOKE
19	GOOD INTENT CALL - NOT CLASSIFIED
7	MALICIOUS, MISCHIEVOUS FALSE CALL
73	SYSTEM MALFUNCTION
13	UNINTENTIONAL, ACCIDENTAL TRIP
1	FALSE CALL - NOT CLASSIFIED
1	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
1	NO CO DETECTOR PRESENT - CO ABOVE ACTION LEVEL
1	CO DETECTOR MALFUNCTION
995	
Mount Lookout	
6	STRUCTURE FIRE
2	VEHICLE FIRE
5	REFUSE FIRE
146	EMERGENCY MEDICAL CALL

2	LOCK IN
1	RESCUE CALL - NOT CLASSIFIED
3	SPILL, LEAK WITH NO IGNITION
1	POWER LINE DOWN
1	ARCING, SHORTED ELECTRICAL EQUIPMENT
2	HAZARDOUS CONDITION - NOT CLASSIFIED
1	SMOKE, ODOR REMOVAL
1	UNAUTHORIZED BURNING
1	SERVICE CALL - NOT CLASSIFIED
1	GOOD INTENT CALL - INSUFFICIENT INFO.
2	SMOKE SCARE
6	GOOD INTENT CALL - NOT CLASSIFIED
29	SYSTEM MALFUNCTION
4	UNINTENTIONAL, ACCIDENTAL TRIP
2	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
1	CO DETECTOR ACTIVATED - CO FOUND
2	CO DETECTOR MALFUNCTION
219	

Mount Washington	
17	STRUCTURE FIRE
3	OUTSIDE OF STRUCTURE FIRE
7	VEHICLE FIRE
2	TREES, BRUSH, GRASS FIRE
4	REFUSE FIRE
1	OUTSIDE SPILL, LEAKING WITH ENSUING FIRE
691	EMERGENCY MEDICAL CALL
7	LOCK IN
5	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
1	HAZARDOUS CONDITION - INSUFFICIENT INFO.
4	SPILL, LEAK WITH NO IGNITION
1	POWER LINE DOWN
17	ARCING, SHORTED ELECTRICAL EQUIPMENT
8	HAZARDOUS CONDITION - NOT CLASSIFIED
1	SERVICE CALL - INSUFFICIENT INFO.
1	WATER CUTOFF / EVACUATION

1	SMOKE, ODOR REMOVAL
1	UNAUTHORIZED BURNING
6	SERVICE CALL - NOT CLASSIFIED
2	GOOD INTENT CALL - INSUFFICIENT INFO.
19	SMOKE SCARE
4	CONTROLLED BURNING
1	STEAM, OTHER GAS MISTAKEN FOR SMOKE
19	GOOD INTENT CALL - NOT CLASSIFIED
1	FALSE CALL - INSUFFICIENT INFO.
7	MALICIOUS, MISCHIEVOUS FALSE CALL
26	SYSTEM MALFUNCTION
6	UNINTENTIONAL, ACCIDENTAL TRIP
1	FALSE CALL - NOT CLASSIFIED
1	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
1	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
1	CO DETECTOR ACTIVATED - CO FOUND
6	CO DETECTOR MALFUNCTION
873	

North Avondale	
18	STRUCTURE FIRE
10	VEHICLE FIRE
1	TREES, BRUSH, GRASS FIRE
8	REFUSE FIRE
1	STEAM RUPTURE
1,023	EMERGENCY MEDICAL CALL
6	LOCK IN
8	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
4	RESCUE CALL - NOT CLASSIFIED
1	SPILL, LEAK WITH NO IGNITION
2	POWER LINE DOWN
15	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	NATURAL GAS LEAK/ODOR
5	HAZARDOUS CONDITION - NOT CLASSIFIED
1	SERVICE CALL - INSUFFICIENT INFO.
2	LOCK-OUT

2	WATER CUTOFF / EVACUATION
1	SMOKE, ODOR REMOVAL
3	ASSIST POLICE
3	SERVICE CALL - NOT CLASSIFIED
5	GOOD INTENT CALL - INSUFFICIENT INFO.
35	SMOKE SCARE
1	WRONG LOCATION
12	GOOD INTENT CALL - NOT CLASSIFIED
4	MALICIOUS, MISCHIEVOUS FALSE CALL
59	SYSTEM MALFUNCTION
9	UNINTENTIONAL, ACCIDENTAL TRIP
1	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
1	CO DETECTOR ACTIVATED - CO FOUND
1,242	
North Fairmount	
3	STRUCTURE FIRE
1	OUTSIDE OF STRUCTURE FIRE
5	VEHICLE FIRE
231	EMERGENCY MEDICAL CALL
1	LOCK IN
1	SPILL, LEAK WITH NO IGNITION
1	EXCESSIVE HEAT
1	ARCING, SHORTED ELECTRICAL EQUIPMENT
6	HAZARDOUS CONDITION - NOT CLASSIFIED
3	ASSIST POLICE
1	SERVICE CALL - NOT CLASSIFIED
7	SMOKE SCARE
5	GOOD INTENT CALL - NOT CLASSIFIED
1	MALICIOUS, MISCHIEVOUS FALSE CALL
1	BOMB SCARE, NO BOMB
7	SYSTEM MALFUNCTION
1	UNINTENTIONAL, ACCIDENTAL TRIP
276	
Northside	

32	STRUCTURE FIRE
1	OUTSIDE OF STRUCTURE FIRE
12	VEHICLE FIRE
1	TREES, BRUSH, GRASS FIRE
13	REFUSE FIRE
1,187	EMERGENCY MEDICAL CALL
7	LOCK IN
3	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
7	RESCUE CALL - NOT CLASSIFIED
6	SPILL, LEAK WITH NO IGNITION
1	POWER LINE DOWN
21	ARCING, SHORTED ELECTRICAL EQUIPMENT
2	CHEMICAL EMERGENCY
1	NATURAL GAS LEAK/ODOR
15	HAZARDOUS CONDITION - NOT CLASSIFIED
1	SERVICE CALL - INSUFFICIENT INFO.
1	WATER CUTOFF / EVACUATION
1	SMOKE, ODOR REMOVAL
8	ASSIST POLICE
1	UNAUTHORIZED BURNING
12	SERVICE CALL - NOT CLASSIFIED
6	GOOD INTENT CALL - INSUFFICIENT INFO.
29	SMOKE SCARE
2	WRONG LOCATION
1	CONTROLLED BURNING
57	GOOD INTENT CALL - NOT CLASSIFIED
16	MALICIOUS, MISCHIEVOUS FALSE CALL
45	SYSTEM MALFUNCTION
8	UNINTENTIONAL, ACCIDENTAL TRIP
1	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
4	CO DETECTOR MALFUNCTION
1,502	
Oakley	
19	STRUCTURE FIRE
2	OUTSIDE OF STRUCTURE FIRE

14	VEHICLE FIRE
1	TREES, BRUSH, GRASS FIRE
7	REFUSE FIRE
2	STEAM RUPTURE
904	EMERGENCY MEDICAL CALL
14	LOCK IN
7	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
1	RESCUE CALL - NOT CLASSIFIED
5	SPILL, LEAK WITH NO IGNITION
2	EXPLOSIVE, BOMB REMOVAL
2	POWER LINE DOWN
18	ARCING, SHORTED ELECTRICAL EQUIPMENT
5	NATURAL GAS LEAK/ODOR
10	HAZARDOUS CONDITION - NOT CLASSIFIED
1	SERVICE CALL - INSUFFICIENT INFO.
3	WATER CUTOFF / EVACUATION
18	SERVICE CALL - NOT CLASSIFIED
15	GOOD INTENT CALL - INSUFFICIENT INFO.
19	SMOKE SCARE
2	STEAM, OTHER GAS MISTAKEN FOR SMOKE
28	GOOD INTENT CALL - NOT CLASSIFIED
1	FALSE CALL - INSUFFICIENT INFO.
80	SYSTEM MALFUNCTION
7	UNINTENTIONAL, ACCIDENTAL TRIP
1	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
1	NO CO DETECTOR PRESENT - FATALITY
3	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
6	CO DETECTOR MALFUNCTION
1,198	
Obryonville	
2	STRUCTURE FIRE
45	EMERGENCY MEDICAL CALL
3	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	ASSIST POLICE
1	GOOD INTENT CALL - INSUFFICIENT INFO.

1	MALICIOUS, MISCHIEVOUS FALSE CALL
3	SYSTEM MALFUNCTION
56	
Over-the-Rhine	
43	STRUCTURE FIRE
7	OUTSIDE OF STRUCTURE FIRE
14	VEHICLE FIRE
2	TREES, BRUSH, GRASS FIRE
39	REFUSE FIRE
3,298	EMERGENCY MEDICAL CALL
14	LOCK IN
1	SEARCH
4	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
6	RESCUE CALL - NOT CLASSIFIED
1	HAZARDOUS CONDITION - INSUFFICIENT INFO.
6	SPILL, LEAK WITH NO IGNITION
1	EXCESSIVE HEAT
8	POWER LINE DOWN
12	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	CHEMICAL EMERGENCY
2	NATURAL GAS LEAK/ODOR
22	HAZARDOUS CONDITION - NOT CLASSIFIED
2	SERVICE CALL - INSUFFICIENT INFO.
2	LOCK-OUT
8	WATER CUTOFF / EVACUATION
1	SMOKE, ODOR REMOVAL
9	ASSIST POLICE
1	UNAUTHORIZED BURNING
14	SERVICE CALL - NOT CLASSIFIED
5	GOOD INTENT CALL - INSUFFICIENT INFO.
32	SMOKE SCARE
1	WRONG LOCATION
1	VICINITY ALARM (INCL MULTIPLE BOXES FOR 1 FIRE)
3	STEAM, OTHER GAS MISTAKEN FOR SMOKE
104	GOOD INTENT CALL - NOT CLASSIFIED

23	MALICIOUS, MISCHIEVOUS FALSE CALL
161	SYSTEM MALFUNCTION
19	UNINTENTIONAL, ACCIDENTAL TRIP
1	FALSE CALL - NOT CLASSIFIED
1	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
3,869	
Paddock Hills	
6	STRUCTURE FIRE
3	VEHICLE FIRE
2	REFUSE FIRE
193	EMERGENCY MEDICAL CALL
2	LOCK IN
5	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
1	RESCUE CALL - NOT CLASSIFIED
1	SPILL, LEAK WITH NO IGNITION
1	EXPLOSIVE, BOMB REMOVAL
2	POWER LINE DOWN
10	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	HAZARDOUS CONDITION - NOT CLASSIFIED
1	LOCK-OUT
2	WATER CUTOFF / EVACUATION
1	ASSIST POLICE
1	SERVICE CALL - NOT CLASSIFIED
7	GOOD INTENT CALL - INSUFFICIENT INFO.
4	SMOKE SCARE
1	STEAM, OTHER GAS MISTAKEN FOR SMOKE
6	GOOD INTENT CALL - NOT CLASSIFIED
38	SYSTEM MALFUNCTION
2	UNINTENTIONAL, ACCIDENTAL TRIP
2	CO DETECTOR ACTIVATED - CO FOUND
292	
Pendleton	
10	STRUCTURE FIRE
1	VEHICLE FIRE

1	REFUSE FIRE
296	EMERGENCY MEDICAL CALL
5	LOCK IN
1	POWER LINE DOWN
2	ARCING, SHORTED ELECTRICAL EQUIPMENT
5	HAZARDOUS CONDITION - NOT CLASSIFIED
1	LOCK-OUT
1	WATER CUTOFF / EVACUATION
3	SERVICE CALL - NOT CLASSIFIED
2	GOOD INTENT CALL - INSUFFICIENT INFO.
8	SMOKE SCARE
1	STEAM, OTHER GAS MISTAKEN FOR SMOKE
9	GOOD INTENT CALL - NOT CLASSIFIED
10	SYSTEM MALFUNCTION
1	UNINTENTIONAL, ACCIDENTAL TRIP
357	

Pleasant Ridge

15	STRUCTURE FIRE
8	VEHICLE FIRE
4	REFUSE FIRE
548	EMERGENCY MEDICAL CALL
3	LOCK IN
1	SPILL, LEAK WITH NO IGNITION
1	EXPLOSIVE, BOMB REMOVAL
7	POWER LINE DOWN
13	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	CHEMICAL EMERGENCY
10	HAZARDOUS CONDITION - NOT CLASSIFIED
1	SMOKE, ODOR REMOVAL
2	ASSIST POLICE
1	COVER ASSIGNMENT (STANDBY AT STATION, MOVE-UP)
7	SERVICE CALL - NOT CLASSIFIED
6	GOOD INTENT CALL - INSUFFICIENT INFO.
11	SMOKE SCARE
1	WRONG LOCATION

1	STEAM, OTHER GAS MISTAKEN FOR SMOKE
16	GOOD INTENT CALL - NOT CLASSIFIED
3	MALICIOUS, MISCHIEVOUS FALSE CALL
42	SYSTEM MALFUNCTION
10	UNINTENTIONAL, ACCIDENTAL TRIP
1	FALSE CALL - NOT CLASSIFIED
1	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
1	CO DETECTOR ACTIVATED - FATALITY
7	CO DETECTOR MALFUNCTION
722	
Queensgate	
3	STRUCTURE FIRE
1	OUTSIDE OF STRUCTURE FIRE
9	VEHICLE FIRE
4	REFUSE FIRE
386	EMERGENCY MEDICAL CALL
2	LOCK IN
18	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
2	RESCUE CALL - NOT CLASSIFIED
12	SPILL, LEAK WITH NO IGNITION
1	EXPLOSIVE, BOMB REMOVAL
1	EXCESSIVE HEAT
2	ARCING, SHORTED ELECTRICAL EQUIPMENT
2	CHEMICAL EMERGENCY
1	NATURAL GAS LEAK/ODOR
4	HAZARDOUS CONDITION - NOT CLASSIFIED
1	WATER CUTOFF / EVACUATION
2	ASSIST POLICE
3	SERVICE CALL - NOT CLASSIFIED
10	GOOD INTENT CALL - INSUFFICIENT INFO.
9	SMOKE SCARE
4	WRONG LOCATION
1	CONTROLLED BURNING
1	STEAM, OTHER GAS MISTAKEN FOR SMOKE
18	GOOD INTENT CALL - NOT CLASSIFIED

1	FALSE CALL - INSUFFICIENT INFO.
5	MALICIOUS, MISCHIEVOUS FALSE CALL
1	BOMB SCARE, NO BOMB
60	SYSTEM MALFUNCTION
2	UNINTENTIONAL, ACCIDENTAL TRIP
1	CO DETECTOR MALFUNCTION
567	
Riverside	
5	STRUCTURE FIRE
3	REFUSE FIRE
214	EMERGENCY MEDICAL CALL
1	LOCK IN
1	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
1	HAZARDOUS CONDITION - INSUFFICIENT INFO.
3	SPILL, LEAK WITH NO IGNITION
4	NATURAL GAS LEAK/ODOR
8	HAZARDOUS CONDITION - NOT CLASSIFIED
1	UNAUTHORIZED BURNING
7	SERVICE CALL - NOT CLASSIFIED
2	GOOD INTENT CALL - INSUFFICIENT INFO.
7	SMOKE SCARE
4	GOOD INTENT CALL - NOT CLASSIFIED
17	SYSTEM MALFUNCTION
3	UNINTENTIONAL, ACCIDENTAL TRIP
1	CO DETECTOR MALFUNCTION
282	
Roselawn	
24	STRUCTURE FIRE
5	VEHICLE FIRE
1	TREES, BRUSH, GRASS FIRE
8	REFUSE FIRE
894	EMERGENCY MEDICAL CALL
9	LOCK IN
4	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)

2	RESCUE CALL - NOT CLASSIFIED
1	HAZARDOUS CONDITION - INSUFFICIENT INFO.
4	POWER LINE DOWN
9	ARCING, SHORTED ELECTRICAL EQUIPMENT
8	HAZARDOUS CONDITION - NOT CLASSIFIED
1	LOCK-OUT
7	SERVICE CALL - NOT CLASSIFIED
8	GOOD INTENT CALL - INSUFFICIENT INFO.
22	SMOKE SCARE
2	STEAM, OTHER GAS MISTAKEN FOR SMOKE
27	GOOD INTENT CALL - NOT CLASSIFIED
5	MALICIOUS, MISCHIEVOUS FALSE CALL
46	SYSTEM MALFUNCTION
7	UNINTENTIONAL, ACCIDENTAL TRIP
2	FALSE CALL - NOT CLASSIFIED
1	CO DETECTOR ACTIVATED - CO FOUND
3	CO DETECTOR MALFUNCTION
1,100	

Sayler Park	
2	STRUCTURE FIRE
1	OUTSIDE OF STRUCTURE FIRE
2	VEHICLE FIRE
2	TREES, BRUSH, GRASS FIRE
3	REFUSE FIRE
1	FIRE, EXPLOSION - NOT CLASSIFIED
1	RESCUE CALL - INSUFFICIENT INFO.
258	EMERGENCY MEDICAL CALL
1	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
1	RESCUE CALL - NOT CLASSIFIED
2	SPILL, LEAK WITH NO IGNITION
1	EXCESSIVE HEAT
3	POWER LINE DOWN
5	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	NATURAL GAS LEAK/ODOR
3	HAZARDOUS CONDITION - NOT CLASSIFIED

1	LOCK-OUT
3	SERVICE CALL - NOT CLASSIFIED
5	SMOKE SCARE
2	CONTROLLED BURNING
7	GOOD INTENT CALL - NOT CLASSIFIED
3	SYSTEM MALFUNCTION
1	UNINTENTIONAL, ACCIDENTAL TRIP
1	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
1	NO CO DETECTOR PRESENT - CO ABOVE ACTION LEVEL
1	CO DETECTOR ACTIVATED - CO FOUND
1	CO DETECTOR MALFUNCTION
313	
Sedamsville	
2	STRUCTURE FIRE
2	VEHICLE FIRE
4	REFUSE FIRE
167	EMERGENCY MEDICAL CALL
1	RESCUE CALL - NOT CLASSIFIED
1	POWER LINE DOWN
4	ARCING, SHORTED ELECTRICAL EQUIPMENT
2	HAZARDOUS CONDITION - NOT CLASSIFIED
1	UNAUTHORIZED BURNING
1	GOOD INTENT CALL - INSUFFICIENT INFO.
4	SMOKE SCARE
1	GOOD INTENT CALL - NOT CLASSIFIED
1	UNINTENTIONAL, ACCIDENTAL TRIP
1	FALSE CALL - NOT CLASSIFIED
1	CO DETECTOR MALFUNCTION
193	
South Cumminsville	
9	STRUCTURE FIRE
1	VEHICLE FIRE
3	REFUSE FIRE
120	EMERGENCY MEDICAL CALL

1	LOCK IN
1	SPILL, LEAK WITH NO IGNITION
2	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	HAZARDOUS CONDITION - NOT CLASSIFIED
1	WATER CUTOFF / EVACUATION
8	SMOKE SCARE
4	GOOD INTENT CALL - NOT CLASSIFIED
7	MALICIOUS, MISCHIEVOUS FALSE CALL
10	SYSTEM MALFUNCTION
2	UNINTENTIONAL, ACCIDENTAL TRIP
170	
South Fairmount	
18	STRUCTURE FIRE
2	OUTSIDE OF STRUCTURE FIRE
17	VEHICLE FIRE
1	TREES, BRUSH, GRASS FIRE
7	REFUSE FIRE
1	FIRE, EXPLOSION - NOT CLASSIFIED
1	OVERPRESSURE RUPTURE - INSUFFICIENT INFO.
1,047	EMERGENCY MEDICAL CALL
3	LOCK IN
7	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
13	RESCUE CALL - NOT CLASSIFIED
1	HAZARDOUS CONDITION - INSUFFICIENT INFO.
5	SPILL, LEAK WITH NO IGNITION
2	POWER LINE DOWN
8	ARCING, SHORTED ELECTRICAL EQUIPMENT
5	NATURAL GAS LEAK/ODOR
7	HAZARDOUS CONDITION - NOT CLASSIFIED
1	WATER CUTOFF / EVACUATION
1	ANIMAL RESCUE
3	ASSIST POLICE
2	UNAUTHORIZED BURNING
6	SERVICE CALL - NOT CLASSIFIED
2	GOOD INTENT CALL - INSUFFICIENT INFO.

19	SMOKE SCARE
26	GOOD INTENT CALL - NOT CLASSIFIED
6	MALICIOUS, MISCHIEVOUS FALSE CALL
1	BOMB SCARE, NO BOMB
52	SYSTEM MALFUNCTION
5	UNINTENTIONAL, ACCIDENTAL TRIP
1	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
1	CO DETECTOR ACTIVATED - CO FOUND
2	CO DETECTOR MALFUNCTION
1,273	
Walnut Hills	
47	STRUCTURE FIRE
2	OUTSIDE OF STRUCTURE FIRE
26	VEHICLE FIRE
1	TREES, BRUSH, GRASS FIRE
23	REFUSE FIRE
1,884	EMERGENCY MEDICAL CALL
10	LOCK IN
15	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
3	RESCUE CALL - NOT CLASSIFIED
7	HAZARDOUS CONDITION - INSUFFICIENT INFO.
9	SPILL, LEAK WITH NO IGNITION
2	POWER LINE DOWN
13	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	CHEMICAL EMERGENCY
2	NATURAL GAS LEAK/ODOR
18	HAZARDOUS CONDITION - NOT CLASSIFIED
2	LOCK-OUT
8	WATER CUTOFF / EVACUATION
3	SMOKE, ODOR REMOVAL
1	ASSIST POLICE
1	UNAUTHORIZED BURNING
1	GAS CUTOFF
6	SERVICE CALL - NOT CLASSIFIED
20	GOOD INTENT CALL - INSUFFICIENT INFO.

45	SMOKE SCARE
2	WRONG LOCATION
1	CONTROLLED BURNING
45	GOOD INTENT CALL - NOT CLASSIFIED
15	MALICIOUS, MISCHIEVOUS FALSE CALL
112	SYSTEM MALFUNCTION
17	UNINTENTIONAL, ACCIDENTAL TRIP
1	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
3	CO DETECTOR MALFUNCTION
2,346	
West End	
30	STRUCTURE FIRE
3	OUTSIDE OF STRUCTURE FIRE
16	VEHICLE FIRE
23	REFUSE FIRE
1,690	EMERGENCY MEDICAL CALL
8	LOCK IN
18	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
5	RESCUE CALL - NOT CLASSIFIED
1	HAZARDOUS CONDITION - INSUFFICIENT INFO.
9	SPILL, LEAK WITH NO IGNITION
3	EXPLOSIVE, BOMB REMOVAL
1	POWER LINE DOWN
15	ARCING, SHORTED ELECTRICAL EQUIPMENT
3	NATURAL GAS LEAK/ODOR
3	HAZARDOUS CONDITION - NOT CLASSIFIED
2	LOCK-OUT
5	WATER CUTOFF / EVACUATION
5	ASSIST POLICE
9	SERVICE CALL - NOT CLASSIFIED
7	GOOD INTENT CALL - INSUFFICIENT INFO.
24	SMOKE SCARE
1	VICINITY ALARM (INCL MULTIPLE BOXES FOR 1 FIRE)
2	STEAM, OTHER GAS MISTAKEN FOR SMOKE
58	GOOD INTENT CALL - NOT CLASSIFIED

22	MALICIOUS, MISCHIEVOUS FALSE CALL
95	SYSTEM MALFUNCTION
16	UNINTENTIONAL, ACCIDENTAL TRIP
2	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
2	CO DETECTOR ACTIVATED - CO FOUND
1	CO DETECTOR MALFUNCTION
2,079	
West Price Hill	
35	STRUCTURE FIRE
4	OUTSIDE OF STRUCTURE FIRE
12	VEHICLE FIRE
2	TREES, BRUSH, GRASS FIRE
19	REFUSE FIRE
1,964	EMERGENCY MEDICAL CALL
17	LOCK IN
6	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
5	RESCUE CALL - NOT CLASSIFIED
7	SPILL, LEAK WITH NO IGNITION
1	EXPLOSIVE, BOMB REMOVAL
1	EXCESSIVE HEAT
11	POWER LINE DOWN
25	ARCING, SHORTED ELECTRICAL EQUIPMENT
2	NATURAL GAS LEAK/ODOR
28	HAZARDOUS CONDITION - NOT CLASSIFIED
3	LOCK-OUT
7	WATER CUTOFF / EVACUATION
1	SMOKE, ODOR REMOVAL
5	ASSIST POLICE
3	UNAUTHORIZED BURNING
1	GAS CUTOFF
12	SERVICE CALL - NOT CLASSIFIED
7	GOOD INTENT CALL - INSUFFICIENT INFO.
26	SMOKE SCARE
1	WRONG LOCATION
2	CONTROLLED BURNING

3	STEAM, OTHER GAS MISTAKEN FOR SMOKE
49	GOOD INTENT CALL - NOT CLASSIFIED
3	MALICIOUS, MISCHIEVOUS FALSE CALL
31	SYSTEM MALFUNCTION
14	UNINTENTIONAL, ACCIDENTAL TRIP
7	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
6	CO DETECTOR ACTIVATED - CO FOUND
8	CO DETECTOR MALFUNCTION
2,328	
Westwood	
59	STRUCTURE FIRE
4	OUTSIDE OF STRUCTURE FIRE
32	VEHICLE FIRE
3	TREES, BRUSH, GRASS FIRE
20	REFUSE FIRE
1	EXPLOSION, NO AFTER-FIRE
2	STEAM RUPTURE
2,740	EMERGENCY MEDICAL CALL
33	LOCK IN
1	SEARCH
7	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
8	RESCUE CALL - NOT CLASSIFIED
2	HAZARDOUS CONDITION - INSUFFICIENT INFO.
15	SPILL, LEAK WITH NO IGNITION
3	EXCESSIVE HEAT
3	POWER LINE DOWN
42	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	CHEMICAL EMERGENCY
1	NATURAL GAS LEAK/ODOR
20	HAZARDOUS CONDITION - NOT CLASSIFIED
2	SERVICE CALL - INSUFFICIENT INFO.
7	LOCK-OUT
16	WATER CUTOFF / EVACUATION
4	SMOKE, ODOR REMOVAL
6	ASSIST POLICE

1	UNAUTHORIZED BURNING
10	SERVICE CALL - NOT CLASSIFIED
19	GOOD INTENT CALL - INSUFFICIENT INFO.
43	SMOKE SCARE
1	CONTROLLED BURNING
1	VICINITY ALARM (INCL MULTIPLE BOXES FOR 1 FIRE)
4	STEAM, OTHER GAS MISTAKEN FOR SMOKE
91	GOOD INTENT CALL - NOT CLASSIFIED
4	FALSE CALL - INSUFFICIENT INFO.
12	MALICIOUS, MISCHIEVOUS FALSE CALL
180	SYSTEM MALFUNCTION
30	UNINTENTIONAL, ACCIDENTAL TRIP
1	NO CO DETECTOR PRESENT - CO ABOVE ACTION LEVEL
5	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
12	CO DETECTOR ACTIVATED - CO FOUND
11	CO DETECTOR MALFUNCTION
3,457	

Winton Hills	
15	STRUCTURE FIRE
1	OUTSIDE OF STRUCTURE FIRE
12	VEHICLE FIRE
3	TREES, BRUSH, GRASS FIRE
10	REFUSE FIRE
798	EMERGENCY MEDICAL CALL
3	LOCK IN
1	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
2	RESCUE CALL - NOT CLASSIFIED
1	SPILL, LEAK WITH NO IGNITION
3	ARCING, SHORTED ELECTRICAL EQUIPMENT
2	CHEMICAL EMERGENCY
6	HAZARDOUS CONDITION - NOT CLASSIFIED
1	UNAUTHORIZED BURNING
3	SERVICE CALL - NOT CLASSIFIED
6	GOOD INTENT CALL - INSUFFICIENT INFO.
14	SMOKE SCARE

17	GOOD INTENT CALL - NOT CLASSIFIED
15	MALICIOUS, MISCHIEVOUS FALSE CALL
40	SYSTEM MALFUNCTION
4	UNINTENTIONAL, ACCIDENTAL TRIP
957	
Winton Place	
7	STRUCTURE FIRE
7	VEHICLE FIRE
5	REFUSE FIRE
1	AIR, GAS RUPTURE
360	EMERGENCY MEDICAL CALL
1	LOCK IN
6	SPILL, LEAK WITH NO IGNITION
2	EXCESSIVE HEAT
2	POWER LINE DOWN
13	ARCING, SHORTED ELECTRICAL EQUIPMENT
2	CHEMICAL EMERGENCY
2	HAZARDOUS CONDITION - NOT CLASSIFIED
1	WATER CUTOFF / EVACUATION
3	ASSIST POLICE
6	SERVICE CALL - NOT CLASSIFIED
1	GOOD INTENT CALL - INSUFFICIENT INFO.
12	SMOKE SCARE
1	CONTROLLED BURNING
1	STEAM, OTHER GAS MISTAKEN FOR SMOKE
13	GOOD INTENT CALL - NOT CLASSIFIED
2	MALICIOUS, MISCHIEVOUS FALSE CALL
50	SYSTEM MALFUNCTION
2	UNINTENTIONAL, ACCIDENTAL TRIP
500	
52,860	Total Incidents